Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1612RXD

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
* * * * * * * * *
                     Welcome to STN International
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS 1
NEWS 2
                 "Ask CAS" for self-help around the clock
NEWS 3 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 4 MAY 10 CA/Caplus enhanced with 1900-1906 U.S. patent records
NEWS 5 MAY 11 KOREAPAT updates resume
NEWS 6 MAY 19 Derwent World Patents Index to be reloaded and enhanced
NEWS 7 MAY 30 IPC 8 Rolled-up Core codes added to CA/CAplus and
                 USPATFULL/USPAT2
NEWS 8 MAY 30
                 The F-Term thesaurus is now available in CA/CAplus
NEWS 9 JUN 02
                 The first reclassification of IPC codes now complete in
                 INPADOC
NEWS 10 JUN 26
                 TULSA/TULSA2 reloaded and enhanced with new search and
                 and display fields
NEWS 11 JUN 28 Price changes in full-text patent databases EPFULL and PCTFULL
NEWS 12 JUl 11 CHEMSAFE reloaded and enhanced
NEWS 13 JUl 14 FSTA enhanced with Japanese patents
NEWS 14 JUl 19 Coverage of Research Disclosure reinstated in DWPI
NEWS 15 AUG 09 INSPEC enhanced with 1898-1968 archive
NEWS 16 AUG 28 ADISCTI Reloaded and Enhanced
NEWS 17 AUG 30 CA(SM)/CAplus(SM) Austrian patent law changes
NEWS EXPRESS
              JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT
              MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.
```

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 10:42:25 ON 08 SEP 2006

=> file registry
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 10:42:38 ON 08 SEP 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 SEP 2006 HIGHEST RN 906063-52-3 DICTIONARY FILE UPDATES: 7 SEP 2006 HIGHEST RN 906063-52-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

Uploading C:\Program Files\Stnexp\Queries\10658648.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR

G1 0, S, N

Structure attributes must be viewed using STN Express query preparation.

=> s 11

SAMPLE SEARCH INITIATED 10:43:02 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED -171 TO ITERATE

100.0% PROCESSED 171 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 2636 TO 4204 0

PROJECTED ANSWERS: 0 TO

L2 0 SEA SSS SAM L1

=> s l1 ful

FULL SEARCH INITIATED 10:43:06 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 3285 TO ITERATE

100.0% PROCESSED 3285 ITERATIONS 2 ANSWERS

SEARCH TIME: 00.00.01

L3 2 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL

ENTRY SESSION FULL ESTIMATED COST 166.94 167.15

FILE 'CAPLUS' ENTERED AT 10:43:10 ON 08 SEP 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Sep 2006 VOL 145 ISS 12 FILE LAST UPDATED: 7 Sep 2006 (20060907/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 13

L4 1 L3

=> d abs bib hitstr

ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN L4

AB A complexometric method for the rapid determination of BaSO4 in Fe-containing materials (ore from Kremikovtsi, etc.) is proposed. The soluble compds. of Ba are eliminated when the sample is boiled in dilute HCl. The sample is fused with an oxidizing mixture (Na2CO3: baked MgO:KNO3 = 3:2:1) at a temperature

of 800-850°. The cake is treated with HCl (1:11) and in the resulting solution Ba is precipitated as the sulfate. The precipitate is dissolved in 0.1N

Complexon III and the excess complexon is titrated with 0.1N BaCl2, using thymolphthalexon as indicator.

AN 1966:7469 CAPLUS

DN 64:7469

OREF 64:1352e-f

TI A rapid complexometric determination of barium sulfate in ores, concentrates, and half-products from Kremikovtsi

AU Petkova, L.

SO Godishnik Nauchnoizsled. Proektant. Inst. Rudodobiv Obogatyavane (1964), 3(3), 271-3

From: Abstr. Bulgar. Sci. Lit., Chem. 7(2), 15(1964).

DT Journal

LA Bulgarian

RN 5082-57-5 CAPLUS

CN Ammonium, [[(2-butyl-2,3-dihydro-1,3-dioxo-1H-benz[de]isoquinolin-6-yl)carbamoyl]methyl]diethylmethyl-, methyl sulfate (8CI) (CA INDEX NAME)

CM 1

CRN 47614-71-1 CMF C23 H30 N3 O3

CM 2

CRN 21228-90-0 CMF C H3 O4 S

Me- 0- SO3 -

=> FIL STNGUIDE

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
6.03 173.18

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL
ENTRY SESSION
CA SUBSCRIBER PRICE

-0.75
-0.75

FILE 'STNGUIDE' ENTERED AT 10:44:34 ON 08 SEP 2006
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Sep 1, 2006 (20060901/UP).

=> file registry

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.12 173.30

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE ENTRY SESSION 0.00 -0.75

FILE 'REGISTRY' ENTERED AT 10:45:59 ON 08 SEP 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 SEP 2006 HIGHEST RN 906063-52-3 DICTIONARY FILE UPDATES: 7 SEP 2006 HIGHEST RN 906063-52-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/reqprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10658648.str

L5 STRUCTURE UPLOADED

=> d 15

L5 HAS NO ANSWERS

L5 STR

G1 O,S,N

Structure attributes must be viewed using STN Express query preparation.

=> s 15

SAMPLE SEARCH INITIATED 10:46:16 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 20 TO ITERATE

100.0% PROCESSED 20 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 132 TO 668

PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

=> s 15 ful

FULL SEARCH INITIATED 10:46:23 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 294 TO ITERATE

100.0% PROCESSED 294 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

L7 0 SEA SSS FUL L5

Uploading C:\Program Files\Stnexp\Queries\10658648.str

L8 STRUCTURE UPLOADED

=> d 18

L8 HAS NO ANSWERS

L8 STR

G1 O, S, N

Structure attributes must be viewed using STN Express query preparation.

=> s 18

SAMPLE SEARCH INITIATED 10:47:28 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 104 TO ITERATE

100.0% PROCESSED 104 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 1469 TO 2691

PROJECTED ANSWERS: 0 TO 0

L9 0 SEA SSS SAM L8

=> s 18 ful

FULL SEARCH INITIATED 10:47:34 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 2136 TO ITERATE

100.0% PROCESSED 2136 ITERATIONS 19 ANSWERS

SEARCH TIME: 00.00.01

L10 19 SEA SSS FUL L8

=> file caplus

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

FULL ESTIMATED COST 334.32 507.62

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)
SINCE FILE TOTAL ENTRY SESSION

CA SUBSCRIBER PRICE 0.00 -0.75

FILE 'CAPLUS' ENTERED AT 10:47:46 ON 08 SEP 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Sep 2006 VOL 145 ISS 12 FILE LAST UPDATED: 7 Sep 2006 (20060907/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 110

L11 6 L10

=> d abs bib hitstr 1-6

- L11 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN
- AB Fluorescent monomers are described and claimed which are synthesized by reacting a substituted or non-substituted naphthalic anhydride with an amine and with a moiety containing a polymerizable group. Such monomers are useful for the preparation of tagged treatment polymers. Such tagged treatment polymers are useful as scale inhibitors in industrial water systems.
- AN 2004:569555 CAPLUS
- DN 141:76328
- TI Fluorescent monomers and tagged treatment polymers containing same for use in industrial water systems
- IN Morris, John D.; Moriarty, Barbara E.; Wei, Mingli; Murray, Patrick G.;
 Reddinger, Jerry L.
- PA IISA
- SO U.S. Pat. Appl. Publ., 17 pp., Cont.-in-part of U.S. 6,645,428. CODEN: USXXCO
- DT Patent
- LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	US 2004135125	A1	20040715	US 2003-658715	20030909
	US 6645428	B1	20031111	US 2000-560881	20000427
	TW 570969	В	20040111	TW 2001-90109652	20010703
	ZA 2002007690	Α	20030925	ZA 2002-7690	20020925
PRAI	US 2000-560881	A2	20000427		
IT	371239-15-5P				

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(fluorescent monomer; fluorescent monomers and tagged treatment polymers containing same for use in monitoring scale inhibition in industrial water systems)

- RN 371239-15-5 CAPLUS
- CN Ethanaminium, 2-[[2,3-dihydro-1,3-dioxo-2-(2-propenyl)-1H-benz[de]isoquinolin-6-yl]oxy]-N,N,N-trimethyl-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 371239-14-4 CMF C20 H23 N2 O3

$$\begin{array}{c} CH_2-CH \Longrightarrow CH_2 \\ N \\ \longrightarrow \\ Me_3+N-CH_2-CH_2-O \end{array}$$

CM 2

CRN 16053-58-0 CMF C H3 O3 S

L11 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN

AB Fluorescent monomers are described and claimed which are synthesized by reacting a substituted or non-substituted naphthalic anhydride with an amine and with a moiety containing a polymerizable group. Such monomers are useful for the preparation of tagged treatment polymers. Such tagged treatment polymers are useful as scale inhibitors in industrial water systems.

AN 2004:569554 CAPLUS

DN 141:76327

TI Fluorescent monomers and tagged treatment polymers containing same for use in industrial water systems

IN Morris, John D.; Moriarty, Barbara E.; Wei, Mingli; Murray, Patrick G.;
Reddinger, Jerry L.

PA USA

SO U.S. Pat. Appl. Publ., 16 pp., Cont.-in-part of U.S. 6,645,428. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE		
ΡI	US 2004135124	A1	20040715	US 2003-658648	20030909		
	US 6645428	B1	20031111	US 2000-560881	20000427		
	TW 570969	В	20040111	TW 2001-90109652	20010703		
	ZA 2002007690	A	20030925	ZA 2002-7690	20020925		
PRAI	US 2000-560881	A2	20000427				
os	MARPAT 141:76327						

IT 371239-15-5P

RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)

(fluorescent monomer; fluorescent monomers and tagged treatment polymers containing same for use in monitoring scale inhibition in industrial water systems)

RN 371239-15-5 CAPLUS

CN Ethanaminium, 2-[[2,3-dihydro-1,3-dioxo-2-(2-propenyl)-1H-benz[de]isoquinolin-6-yl]oxy]-N,N,N-trimethyl-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 371239-14-4 CMF C20 H23 N2 O3

$$CH_2-CH = CH_2$$

$$O \qquad CH_2-CH = CH_2$$

$$O \qquad Me_3+N-CH_2-CH_2-O$$

CM 2

CRN 16053-58-0 CMF C H3 O3 S

L11 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN

AB Fluorescent monomers are described and claimed which are synthesized by reacting a substituted or non-substituted naphthalic anhydride with an amine and with a moiety containing a polymerizable group. Such monomers are useful for the preparation of tagged treatment polymers. Such tagged treatment polymers are useful as scale inhibitors in industrial water systems. In many industrial water systems that employ polymers as water treatment agents it may be desirable to tag or mark such polymers to facilitate monitoring thereof.

AN 2001:798496 CAPLUS

DN 135:348686

TI Fluorescent monomers and tagged treatment polymers containing same for use in industrial water systems

IN Morris, John D.; Moriarty, Barbara E.; Wei, Mingli; Murray, Patrick Gerard; Reddinger, Jerry L.

PA Ondeo Nalco Company, USA

08/09/2006

Page 11 PCT Int. Appl., 93 pp. SO CODEN: PIXXD2 DT Patent English LA FAN.CNT 3 PATENT NO. KIND DATE APPLICATION NO. -------------------------PΙ WO 2001081654 A1 20011101 WO 2001-US13567 20010425 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG US 6645428 B1 20031111 US 2000-560881 CA 2404311 20011101 AA CA 2001-2404311 20010425 AU 2001057335 20011107 **A5** AU 2001-57335 20010425 20030212 EP 2001-930837 EP 1282732 **A1** 20010425 AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR **T**2 20031021 JP 2001-578720 20010425 TW 570969 В 20040111 TW 2001-90109652 20010703 ZA 2002007690 Α 20030925 ZA 2002-7690 20020925 PRAI US 2000-560881 Α 20000427 WO 2001-US13567 W 20010425 OS MARPAT 135:348686 IT 371239-15-5P RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses) (fluorescent monomer; fluorescent monomers and tagged treatment polymers containing same for use in monitoring scale inhibition in industrial water systems) 371239-15-5 CAPLUS RN

Ethanaminium, 2-[[2,3-dihydro-1,3-dioxo-2-(2-propenyl)-1H-CN benz[de]isoquinolin-6-yl]oxy]-N,N,N-trimethyl-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 371239-14-4 CMF C20 H23 N2 O3

CM 2

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION 32.50 FULL ESTIMATED COST 540.12 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -4.50 -5.25

FILE 'REGISTRY' ENTERED AT 10:50:21 ON 08 SEP 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 SEP 2006 HIGHEST RN 906063-52-3 DICTIONARY FILE UPDATES: 7 SEP 2006 HIGHEST RN 906063-52-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 30, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.


REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10658648.str

L12 STRUCTURE UPLOADED

=> d 112 L12 HAS NO ANSWERS L12 STR



G1 0, S, N

Structure attributes must be viewed using STN Express query preparation.

=> s 112

SAMPLE SEARCH INITIATED 10:50:41 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 241 TO ITERATE

100.0% PROCESSED 241 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 3889 TO 5751 PROJECTED ANSWERS: 0 TO 0

L13 0 SEA SSS SAM L12

=> s l12 ful

FULL SEARCH INITIATED 10:50:48 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 4765 TO ITERATE

100.0% PROCESSED 4765 ITERATIONS 0 ANSWERS

SEARCH TIME: 00.00.01

L14 0 SEA SSS FUL L12

08/09/2006

Page 12

CRN 16053-58-0 CMF C H3 O3 S

L11 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN

GI For diagram(s), see printed CA Issue.

AB 4,5-Dichloronaphthalic anhydride (I) [7267-14-3] is condensed with RNH2 and the products treated with 2 moles HOCH2CH2NR12 to give II [R = Me, Pr, CH2CHEtBu, (CH2)3NMe2; R1 = Me, Et, or NR12 = morpholino], which are quaternized to give fluorescent whitening agents. Thus, I was condensed with MeNH2 [74-89-5], and the product [25507-27-1] (5 parts) was heated 2 hr at 95° with 18 parts Me2NCH2CH2OH [108-01-0] containing 0.9 part Na to give II (R = R1 = Me) [36873-82-2], which was quaternized with 2 moles Me2SO4 to give a fluorescent whitening agent [36900-83-1] for acrylic fibers. Similarly, 4 other II and 9 other cationic derivs. of the II were prepared and the latter used as fluorescent whitening agents for acrylic and polyester fibers and polyacrylonitrile-wool blends.

AN 1975:516986 CAPLUS

DN 83:116986

TI Naphthalimide derivative

IN Noguchi, Tamehiko; Matsunaga, Daisaku

PA Nippon Kayaku Co., Ltd., Japan

SO Jpn. Tokkyo Koho, 9 pp.

CODEN: JAXXAD

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
ΡI	JP 49043688	B4	19741122	JP 1972-63433	19720624
PRAI	JP 1972-63433		19720624		

IT 36900-83-1

RL: USES (Uses)

(fluorescent brightener, for acrylic fibers)

RN 36900-83-1 CAPLUS

CN Ethanaminium, 2,2'-[(2,3-dihydro-2-methyl-1,3-dioxo-1H-benz[de]isoquinoline-6,7-diyl)bis(oxy)]bis[N,N,N-trimethyl-, bis(methyl sulfate) (9CI) (CA INDEX NAME)

CM 1

CRN 47645-11-4 CMF C23 H33 N3 O4

$$Me_3+N-CH_2-CH_2-O$$
 $Me_3+N-CH_2-CH_2-O$
 N
 N

CM 2

CRN 21228-90-0 CMF C H3 O4 S

Me-0-SO3-

```
L11
    ANSWER 5 OF 6 CAPLUS COPYRIGHT 2006 ACS on STN
     Fluorescent whiteners (I, R, R1, R2 = alkyl; R3 = H, alkyl; X =anion; n =
AB
     2,3) were prepared by treating the corresponding dialkylamino compound with a
     quaternizing agent or an acid and were used to whiten acrylic fibers. For
     example, fluorescent whitener I(R = R1 = R2 = R3 = Me, X = MeSO4, n = 2) [
     51989-81-2] was prepared and gave a lightfast whiteness to acrylic
     fibers.
     1974:451148 CAPLUS
AN
DN
     81:51148
TI
    Fluorescent whiteners
     Imahori, Seiichi; Hiraki, Susumu
IN
    Mitsubishi Chemical Industries Co., Ltd.
PA
SO
     Jpn. Tokkyo Koho, 5 pp.
     CODEN: JAXXAD
DT
     Patent
LA
     Japanese
FAN.CNT 1
     PATENT NO.
                        KIND
                               DATE
                                           APPLICATION NO.
                                                                  DATE
                        ----
                                            -----
                                                                  -----
     JP 48038211
PΙ
                         B4
                                           JP 1970-107726
                                                                  19701205
                                19731116
PRAI JP 1970-107726
                                19701205
    51989-81-2P
IT
     RL: IMF (Industrial manufacture); PREP (Preparation)
        (preparation of)
RN
     51989-81-2 CAPLUS
CN
     Ethanaminium, 2-[(2,3-dihydro-7-methoxy-2-methyl-1,3-dioxo-1H-
     benz[de]isoquinolin-6-yl)oxy]-N,N,N-trimethyl-, methyl sulfate (9CI)
     INDEX NAME)
```

CM

1

CRN 51989-80-1 CMF C19 H23 N2 O4